



Boiler-Gas.ru

[Перейти на сайт](#)

uponor

Ecoflex Systems

Underground pipework for district heating & cooling



Uponor Pre-Insulated Pipe

Uponor pre-insulated pipes - the only choice for economical transport of hot and cold fluids for both domestic and commercial applications.

Besides excellent insulating efficiency, our light-weight pre-insulated pipes offer flexibility, ease of installation and a service life in excess of 25 years.

Suitable for the following:

- Heating water
- Hot tap water
- Cooling water
- Industrial fluids

Applications:

- District heating
- Remote boilers
- Biomass
- CHP
- District cooling

Tailor-made lengths

No need to order full coils. Our cut-to-length service will meet your exact specifications, saving you time on site.

No on-site cutting.

No wastage.

No disposal costs.

What you order will be delivered as quickly as possible to where you need it.



Solutions for:

From single family homes to large-scale multi-building complexes, Uponor pre-insulated pipe has many commercial and domestic applications, including:


- Universities
- Hotels
- Prisons
- Military Barracks
- Country Estates
- Social housing
- Hospitals
- Industrial sites
- RAF bases
- Schools
- Research Institutes
- National Trust
- Airports
- Sports venues
- Farms
- Holiday parks



Independent inspection organisations certify that our products meet the strictest standards.

**Over 30 million
metres installed world wide**

Pre-Insulated Pipe Composition



Ribbed jacket pipe made of impact proof polyethylene. Very flexible with high load bearing capacity

Excellent low weight PE-X foam heat insulation

The two coloured 'dog bone' prevents mix ups in flow and return connections

Corrosion proof, oxygen impermeable carrier pipe made of PE-X material

The Advantages:

- **Easy to handle:**
Low-weight and highly flexible, the pipe can be installed around almost any obstacle.
- **Easy to assemble:**
No special tools required - just two spanners.
- **Rapid work progress:**
Up to 200m joint-free installation.
- **Cut to length service:**
Tailor-made lengths to your requirements, delivered directly to site.
- **Full design service:**
Pipe sizing and material take-offs.



Make your AD plant even more effective with Uponor Pre-Insulated Pipe Systems

2 from 1: energy and heat from one source

When using biogas generated from anaerobic digestion to fuel a co-generation plant, both electricity and heat are created. While the energy can possibly be fed into the local electricity network, making use of Feed in Tariffs (FiT), the heat can be used in the fermentation plant as well as buildings throughout the entire farm. Uponor pre-insulated pipes in lengths up to 200 meters will ensure the generated heat reaches them in a safe and efficient way, so that heating costs can be reduced to a minimum.

Uponor: an experienced partner

Uponor pre-insulated pipe systems are reliable, high-quality products, not least proven by over 30 million metres of pipe already installed worldwide. Produced under tight quality control, and technical product data like heat loss is independently confirmed by outside agencies on a regular basis. We do this to make sure our products meet the strictest standards so you can trust the data we provide and know it is a good reflection of actual values. At every stage of your project our team of experienced engineers provide comprehensive support, be it for planning, layout or general project support.

Uponor pre-insulated pipes for optimal heat utilisation

The installation of Uponor pre-insulated pipes is both time and cost efficient. Pipes are delivered to site already cut to length and the fitting system allows for fast and easy installation with no special tools required. The pipe design with several insulation layers and a corrugated jacket pipe makes it both highly flexible and robust at the same time. Obstacles can be easily avoided and only very narrow trenches are needed for installation. When laid in accordance with defined conditions, a heavy traffic load suitability (SLW 60 = 60T) of our pipes is certified according to ATV DVWK-A127.

This means that heavy loads like tractors, trucks and trailers will not negatively influence the life expectancy of the buried pipe.






1 Local heat distribution
- Uponor Thermo



2 Floor and wall heating
- Underfloor heating
- Radiators



3 Heating of industrial and business areas
- Uponor industrial radiant heating systems

Biomass at home: From boiler to building... effortlessly

Getting the most out of your boiler

Whether your biomass boiler is located in an outbuilding and requires connection to the main building or vice versa, Uponor pre-insulated pipes can easily and cost-efficiently connect boiler and buildings without losing heat on the way. For bigger boilers entire pipe networks can be installed to supply several buildings through a district heating scheme, possibly making it eligible for commercial RHI (Renewable Heat Incentive) payments. Uponor pre-insulated pipes can handle heat loads as high as 1000kW.

Sustainable solutions from Uponor

The decision to invest into a biomass boiler is based on long term calculations and payoffs. Pre-insulated pipes from Uponor have a certified life expectancy of over 25 years and are basically maintenance free. That way the long term comfort of your home is guaranteed, while also keeping costs to a minimum. For an even more ecologically friendly, one stop solution, the heat can then be distributed throughout the building through our underfloor heating products, increasing the comfort level even further.

Ease of installation

Uponor pre-insulated pipes can be installed on your premises quickly and with minimum disruption. Only narrow trenches are required since flow and return lines are incorporated into one single pipe system. For convenience Uponor will deliver directly to site with the pipes cut-to-length to your requirements. Just uncoil directly into the trench, it's that easy! Re-instatement of the ground soon follows. Simple yet robust mechanical fittings (Wipex) mean you'll be connected up in no time. The reliability of Uponor pre-insulated pipe means it really is a case of "fit and forget".



“With Uponor pipe systems and local heat distribution, outbuildings are heated trouble-free with our wood pellet heating unit.”






1 Local heat distribution
- Uponor Thermo



2 Floor and wall heating
- Underfloor heating
- Radiators

Product overview



- 1 PE-HD jacket pipe: impact-resistant, long-life yet flexible due to the Uponor pipe geometry
- 2 Layered insulation made from PEX foam: ideal insulating properties, ageing-resistant, resistance to moisture and high flexibility
- 3 Coloured centring profile effectively avoids confusion between the flow and return pipes
- 4 PEX medium pipe: temperature-resistant, and immune to corrosion and encrustation

Thermo Single



- Single PEX pipe for heating water. Max. 95°C/6 bar.
- Carrier pipe 25-125mm

Thermo Twin



- Twin PEX pipe for flow and return lines for heating water.
- Max. 95°C/6 bar.
- 25/25, 32/32, 40/40, 50/50, 63/63mm.

Thermo Mini



- Single PEX pipe for heating water. Max. 95°C/6 bar, with small jacket pipe.
- Carrier pipe 25 and 32mm.
- Suitable for smaller scale schemes

Uponor pre-insulated PEX heating pipes and related system components are designed according to EN 15632-3 (District heating pipes – Pre-insulated flexible pipe systems – Part 3: Non bonded plastic service pipes; requirements and test methods).

Operating temperature and service life

Uponor pre-insulated PEX pipe systems are, according to this European Standard, designed for a service life of at least 30 years when operated at 80°C.

Wipex couplings are specifically designed for connecting Uponor PEX pipes. Requiring only two spanners to assemble, these fittings clamp tightly to the pipe whilst sealing on the bore.



Did you know?

Our PEX heating pipes contain an oxygen diffusion barrier. This prevents permeation of oxygen, thus protecting metallic components in your heating system.



As well as our Thermo pipes for heating applications, we also have a range of pre-insulated pipes suitable for distribution of hot tap water (Aqua) or chilled/cooling water (Supra). Full details from your local merchant or contact Uponor directly.

Aqua Single • PEX pipe for potable water, hot water
Max. 95 °C/10 bar.



- Carrier Pipe 25, 32, 40, 50, 63mm.
- Trace heating cable available on request.

Aqua Twin • PEX pipe for potable water, hot water
Max. 95°C/10 bar.



- Hot water and circulation pipe in one jacket.
- Carrier pipe 25/25, 32/25, 40/25 and 50/25mm.

Quattro • For heating water and potable water (warm),
Max. 95°C/10 bar 4 line pipe, combination of
Thermo Twin and Aqua Twin.



- Suitable for building connection from mains via chamber.

Supra • Single PE-100, Max 20°C/16 bar for
potable water, cold water, waste water
transport, cooling water.



- Frost protection cable on request.

Case Study

Client: AFBI

Product: Uponor Pre-Insulated Pipe

Sizes: 50mm to 110mm

Heat Source: Biomass and CHP

Application: District Heating



Uponor goes the extra mile at Agri-Food & Biosciences Institute

Uponor is well known for going that extra mile but the Agri-Food and Biosciences Institute (AFBI) project in Hillsborough meant the company had to, quite literally, go the distance. By supplying over 2.7km of its pre-insulated plastic piping system for an innovative district heating system, the installation was one of the largest projects the company had undertaken in the UK.

AFBI carries out research into crop and animal production and is studying the feasibility of renewables for the agricultural sector. As part of the work by AFBI's Environment and Renewable Energy Centre, a district heating system was installed at the organisation's sizeable location covering the dairy offices, milking parlour, main pig unit, conference hall and a range of other facilities across over 200ha of land!

After assessing the demands of the project, M&E Contractor, Harvey Group, opted to utilise the expertise of Uponor, as Robert Hall, Project Manager, explained.

“The sheer size of the site at AFBI provided a wide range of challenges, not least getting the piping system over such a substantial area while maintaining temperature levels,” he said. “After a lot of research we opted for Uponor’s pre-insulated pipe as it provided a range of installation advantages as well as ensuring a high level of performance.”

Conservative estimates are that by utilising the easy-to-install pre-insulated system at AFBI saved three months on labour as opposed to other methods, such as black iron or fusion welding techniques. That is before you take into consideration the overall material cost savings and the high level of insulative performance! Robert added. “The fact that the product is already pre-insulated saves a substantial amount of time, as it avoids having to put in concrete ducts, while the simplicity of the mechanical wipex couplings also cuts back on our on-site time, as no specialist tooling was required.

“Despite the vast distances the pipe had to travel, which included over farmland and even under a road, there are very few joints and that simply means there is less that can go wrong.

All these little extras add up to huge advantages on a project of this size and when that is backed-up by the service and support offered by the local Uponor team then you can't fail to be impressed.”

But while the installation process ran smoothly, the real test was always how well the system would run – and the results speak for themselves.

Detailed monitoring by AFBI shows an estimated 67% reduction in heating oil with the water temperature difference through the pre-insulated pipe across the 2.7km only 3- 5°C.

Greg Forbes, Researcher at AFBI, said, “We have substantially reduced heating oil costs and the Uponor system installed by Harvey Group is working extremely well. As well as fuel savings we have now cut back substantially on maintenance, having moved from a system using 12 to 14 boilers across the site to one back-up oil boiler.”



Exclusively for Uponor installers – collect uPoints and get rewarded!

You have put your trust in us and our products. Now we would like to thank you – with our loyalty scheme, Uponor & more. Collect uPoints when buying selected Uponor products and exchange them for rewards.

It's so easy: www.uponor-more.com



Look out for uPoint values in the product description throughout Uponor's price guide





Uponor Limited ("Uponor") guarantees [to the original purchaser/customer] that pipes and fittings sold by it are free of defects in materials or manufacture under normal conditions of use for a period of 25 years and in case of electrical and mechanical products for 2 years from the date of installation. This guarantee only applies to the products stored, installed, tested and operated in accordance with the fitting instructions issued by Uponor and valid at the time the products were installed.

Where a claim is made during the guarantee period and products are proven to be defective in materials and/or manufacture at the time of delivery, Uponor will supply replacement products free of charge. This is the exclusive remedy under this guarantee.

Uponor disclaims any warranty or guarantee not expressly provided for herein, including any implied warranties of merchantability or fitness for a particular purpose. Uponor further disclaims any and all responsibility or liability for losses, damages and expenses, including special, direct, indirect, incidental and consequential damages, whether foreseeable or not, including without limitation any loss of time or use or any inconvenience arising from the ownership, installation or use of the products sold hereunder.

This guarantee does not affect the statutory rights of the consumer.

Copyright © Uponor (Uponor Limited.)

Reproduction of any part of this publication for any purpose is not permitted without the prior written permission of Uponor Limited. The contents of this brochure are provided for guideline only, please consult our technical manuals for full up-to-date information.

Uponor reserves the right to alter specifications and operating parameters for all their Underfloor Heating and Plumbing & Heating Systems at any time as part of its policy of continuous product development.

Care has been taken to ensure that the information in this price guide is correct at the time of going to press. Uponor Limited reserve the right to alter prices and the details of designs and performance of products without notice. E&OE.

Uponor Limited

Gilmorton Road
Lutterworth
Leicestershire
LE17 4DU

T 01455 550355
F 01455 550366
E enquiries.uk@uponor.com
W www.uponor.co.uk



UE_S_03/2016