

PRESS TOOLS

RIDGID®

PRODUCT CATALOG



Boiler-Gas.ru

Перейти на сайт



PERFORMANCE UNDER PRESSURE

Since we introduced press tools to America over a decade ago, we haven't stopped working. Today, we manufacture the most proven press tools in the industry, trusted by more plumbers and mechanical contractors than any other brand in North America. High-stakes jobs, big-money projects — you name it, RIDGID is the industry standard.



"The time savings of the RIDGID Press Tool is incredible. That coupled with no leaks, unlike the 1-3% we used to get with soldering, has significantly increased our productivity."

Larry Lee – Lee Plumbing & Heating

"We have installed over 100,000 fittings to date without a single leak. That's consistent!"

Mike Haggerty – Haggerty & Company

"RIDGID is the best investment I have made in the past 5 years. It has paid for itself job after job."

Rick Williams – Aquanaut Plumbing

SPEED

Speeds installation time with connections completed in as little as 5 seconds. Compare that to the time spent deburring a fitting, cleaning, fluxing and soldering a single joint. The more joints you press, the more time you save.



RELIABILITY

Consistent jaw pressure ensures liquid and gas-tight connections every time. That means reduced fitting rework after pressure testing.



MEASURABLE RESULTS

- Time savings = higher profits
- The flameless system eliminates the need for a burn permit or fire watches.
- Press connections can be made on a wet system.
- By eliminating the mess from flux and solder, you end up with a clean, professional installation.

We
Build
Reputations™

RIDGID



Boiler-Gas.ru

Перейти на сайт

THE RIGHT TOOL FOR YOUR NEEDS

RIDGID Press Tools are available as battery-operated or corded models that provide maximum performance, versatility and service life.

- **EFFICIENT** – Pull the trigger and go. Lightweight design reduces fatigue, increases productivity.
- **EASY ACCESS** – The tool barrel rotates 270° to allow access into tight spaces.
- **FAST** – A 5-second cycle time speeds connections.
- **VERSATILE** – Jaws available for pressing copper, stainless steel, black steel and PEX, and for cutting soil pipe.
- **DURABLE** – Backed by the RIDGID Full Lifetime Warranty.








GUARANTEED FOR LIFE

RIDGID press tools are the only in the industry to come with a full lifetime warranty. It's peace of mind that no other press tool manufacturer can match.



SELECTION CHART

Press Tools

INLINE RP 200-B	JAWS	PRESSING RINGS	POWER	COPPER/SS CAPACITY	PEX CAPACITY	WEIGHT (LB.)	ROTATING BARREL	CHARACTERISTICS
	<ul style="list-style-type: none"> Compact Series Jaws: <ul style="list-style-type: none"> ProPress® (copper & stainless) Pureflow™ (PEX) 	Compact Series Press Rings (see chart below)	18V Li-Ion Battery	½" - 1¼"	¾" - 1½"	5.9 with battery	270°	The inline form of the tool allows access to tighter spaces, enabling press connections in hard-to-reach areas. The tool comes standard with two 18V, 1.1 Ah Lithium-Ion batteries that can produce over 100 presses per charge for jobsite efficiency. Large capacity 2.2 Ah and 3.3 Ah batteries are also available and can achieve over 300 presses per charge to maximize uptime.
COMPACT RP 210-B								
	<ul style="list-style-type: none"> Compact Series Jaws: <ul style="list-style-type: none"> ProPress® (copper & stainless) Pureflow™ (PEX) 	Compact Series Press Rings (see chart below)	18V Li-Ion Battery	½" - 1¼"	¾" - 1½"	5.9 with battery	270°	For ½" to 1¼" copper and stainless steel, and ¾" to 1½" PEX fittings, the RP 210-B is the right choice for contractors who prefer a pistol grip style tool. Also features a 270° rotating barrel to reach into tight spaces.
RP 330-B								
	<ul style="list-style-type: none"> Standard Series Jaws: <ul style="list-style-type: none"> ProPress (copper & stainless) Pureflow (PEX) MegaPress™ Press Snap Soil Pipe Cutter 	Standard Series Press Rings: (see chart below)	18V Li-Ion Battery	½" - 4"	½" - 2"	9.8 with battery	270°	For convenience and portability, the RP330-B is designed to handle your toughest construction projects. It features a barrel that rotates 270° and a long service interval. It is powered by an 18V Li-Ion battery to provide 50% more presses per battery charge than Ni-Mh battery-powered tools.
RP 330-C								
	<ul style="list-style-type: none"> Standard Series Jaws: <ul style="list-style-type: none"> ProPress (copper & stainless) Pureflow (PEX) MegaPress™ Press Snap Soil Pipe Cutter 	Standard Series Press Rings: (see chart below)	Corded	½" - 4"	½" - 2"	10.4	270°	For the peace of mind a corded tool offers, choose the RP 330-C press tool. With all of the same features, functionality and durability of the battery-powered version, the RP 330-C press tool is the workhorse of the job site. At nearly one-half the weight of the previous CT400 unit, this is our lightest corded press tool ever.
PEX CRIMP TOOLS								
	<ul style="list-style-type: none"> ASTM F 1807 (PEX) 	—	—	—	¾" - 1"	2.7-3.4	—	Constructed of lightweight, durable polycarbonate E ³ ® handles, RIDGID PEX Crimp Tools are ideal for making copper crimp ring and stainless steel clamp connections in potable water and radiant heating applications.

Press Jaws & Rings

COMPACT SERIES PRESS JAWS FOR USE WITH 100B, RP 210-B or RP 200-B							
COMPACT SERIES JAWS	¾"	½"	⅝"	¾"	1"	1¼"	1½"
ProPress (copper & stainless)	—	16958	—	16963	16978	31228	—
Pureflow (PEX)	17003	17008	19813	17013	17018	22683	22688

STANDARD SERIES PRESS JAWS FOR USE WITH 320-E, RP 330-B, RP 330-C & CT400							
STANDARD SERIES JAWS	½"	⅝"	¾"	1"	1¼"	1½"	2"
ProPress (copper & stainless)	76652	—	76657	76662	76667	76672	76677
Pureflow (PEX)	22653	22658	22663	22668	22673	22678	35343
MegaPress (black iron)	37958	—	37963	37968	—	—	—

PROPRESS - LARGE DIAMETER PRESS RINGS FOR USE WITH 320-E, RP 330-B, RP 330-C & CT400					
PRESSING RINGS	STANDARD SERIES ACTUATOR JAW	2½"	3"	4"	2½"-4" RING KIT WITH CASE
ProPress XL-C (copper and stainless steel fittings)	V2 Actuator 21878	20543	20548	20553	20483

MEGAPRESS - SMALL DIAMETER PRESS RINGS FOR USE WITH 320-E, RP 330-B, RP 330-C, CT400							
ACTUATOR JAW	½"	¾"	1"	1¼"	1½"	2"	FOR USE WITH
V2 21878	—	—	—	37973	37978	37983	RP 330-B RP 330-C 320E CT400

PROPRESS - SMALL DIAMETER PRESS RINGS FOR USE WITH 320-E, RP 330-B, RP 330-C, CT400, 100B & RP210-B or RP200-B							
ACTUATOR JAW	½"	¾"	1"	1¼"	1½"	2"	FOR USE WITH
V1 28033	27998	28003	28008	28013	—	—	RP 330-B RP 330-C 320E CT400
V2 21878	—	—	—	—	28018	28023	RP 330-B RP 330-C 320E CT400
C1 26163	27998	28003	28008	28013	—	—	100B RP 210-B RP 200-B

ProPress® is a registered trademark of Viega. PureFlow™ is a trademark of Viega. MegaPress™ is a registered trademark of Viega.





THE FASTEST, MOST RELIABLE PRESS TOOLS

Compact



Standard



FEATURES	BENEFITS	RIDGID RP 200-B	RIDGID RP 210-B	RIDGID RP 330-B	RIDGID RP 330-C
Weight (tool and battery)	Lightweight, providing maximum comfort.	5.9 lbs.	5.9 lbs.	9.8 lbs. with battery	10.4 lbs.
Battery	For convenience and maximum portability.	18V Li-ion	18V Li-ion	18V Li-ion	N/A
Rotating Barrel	Tool barrel rotates, allowing access into the tightest spaces.	270°	270°	270°	270°
Approximate Cycle Time	Fastest cycle times, providing maximum speed with every connection.	4-5 Seconds	4-5 Seconds	5 Seconds	5 Seconds
Lock-On Cycle Completion	Cycle completes automatically once pressing action begins, ensuring a reliable connection every time.	✓	✓	✓	✓
Auto Ram Retraction	Ram returns to start position automatically, providing maximum speed with every connection.	✓	✓	✓	✓
Automatic Maintenance Reminder	Automatic calibration reminder to ensure optimal performance.	✓	✓	✓	✓
Extreme Temperature Sensor	Operating temperature of 15° to 122° F.	✓	✓	✓	✓
Low Battery Sensor	Alerts user to insufficient battery power, providing maximum reliability with every connection.	✓	✓	✓	—
Warranty	RIDGID Full Lifetime Warranty.				

COMPACT BATTERY-OPERATED INLINE PRESS TOOL

1/2" to 1 1/4" Capacity for Copper and Stainless Steel

3/8" to 1 1/2" Capacity for PEX

MODEL RP 200-B INLINE

The RP 200-B is the newest addition to the broad press tool lineup offered by RIDGID and gives contractors another option for a fast and reliable way to join copper, stainless steel and PEX. The inline form of the tool allows access to tighter spaces enabling press connections in hard-to-reach areas. The tool comes standard with two 18V, 1.1 Ah Lithium-Ion batteries that can produce over 100 presses per charge for jobsite efficiency. Large capacity 2.2 Ah and 3.3 Ah batteries are also available and can achieve over 300 presses per charge to maximize uptime.

SPECIFICATIONS

- Capacity: 1/2" to 1 1/4" (Copper & Stainless Steel), 3/8" to 1 1/2" (PEX).
- Compatible with all RIDGID compact series pressing attachments.
- Battery: 18V Li-Ion 1.1 Ah.
- Battery Charger: 120V.
- Hydraulic Ram Output: 5,400 lbs. (24kN).
- Weight: 5.9 lbs. with Battery.
- Operating Temperature Range: 15°F to 122°F.
- Approximate Cycle Time: 4-5 seconds.
- 270° barrel/jaw swivel.
- Service Interval: 32,000 cycles.
- Kit Includes: RP 200-B Press Tools, Two 1.1 Ah Batteries, Battery Charger and Carrying Case.



RP 200-B Kit



Compact Series Jaws for ProPress Copper tubing



Compact Jaws for Pureflow



Pressing Rings for 1/2" to 1 1/4"

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	BATTERIES	STD. PACK
43428	RP 200-B	RP 200-B Battery Press Tool Kit w/ProPress Jaws (1/2" - 1 1/4")	26	2 (1.1) Ahr	1
43433	RP 200-B	RP 200-B Battery Press Tool Kit w/ProPress Jaws (1/2" - 1")	26	2 (1.1) Ahr	1
43608	RP 200-B	RP 200-B with ProPress Jaws (1/2" - 1")	25	1 (1.1) Ahr	1
43438	RP 200-B	RP 200-B Battery Press Tool Kit w/PureFlow PEX Jaws (1/2" 3/4", 1")	24	2 (1.1) Ahr	1
43443	RP 200-B	RP 200-B Battery Press Tool Kit (no jaws)	16	2 (1.1) Ahr	1
43448	RP 200-B	RP 200-B Battery Press Tool Only	12	N/A	1

Accessories

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
43453	-	Carrying Case	10	1
27958	-	18V Charger	2	1
31013	-	Battery, 18V 1.1 Ah Li-Ion	1	1
32743	-	Battery, 18V 2.2 Ah Li-Ion	1	1
31018	-	Battery, 18V 3.3 Ah Li-Ion	2	1

COMPACT BATTERY-OPERATED PRESS TOOL

1/2" to 1 1/4" Capacity for Copper and Stainless Steel

3/8" to 1 1/2" Capacity for PEX



MODEL RP 210-B COMPACT

The Model RP 210-B is a fast and reliable way to join copper, stainless steel and PEX fittings. It features a pistol grip design with a 270° rotating swivel barrel that helps users get into tight spaces. Smaller and lighter than standard series tools, the RP-210 B is ideal for jobs that require connections that are 1/4" or smaller.

SPECIFICATIONS

- Capacity: 1/2" to 1 1/4" for copper and stainless; 3/8" to 1 1/2" for PEX.
- Compatible with all RIDGID® compact series pressing attachments.
- 270° barrel/jaw swivel.
- Battery: 18V Li-Ion, 1.1 Ah.
- Battery Charger: 120V.
- Hydraulic Ram Output: 5,400 lbs. (24 kN).
- Weight: 5.9 lbs. with battery.
- Operating Temperature Range: 15°F to 122°F.
- Approximate Cycle Time: 4-5 seconds.
- Service Interval: 32,000 cycles.
- Standard Kit Includes: RP 210-B Press Tool, Two 1.1 Ah Batteries, Battery Charger and Carrying Case.



RP 210-B Kit



Compact Series Jaws for ProPress Copper and Stainless



Compact Jaws for Pureflow



Pressing Rings for 1/2" to 1 1/4"

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
31028	RP 210-B	RP 210-B Battery Press Tool Kit w/ProPress Jaws (1/2" - 1 1/4")	26	1
31038	RP 210-B	RP 210-B Battery Press Tool Kit w/PureFlow PEX Jaws (1/2" - 1")	24	1
31048	RP 210-B	RP 210-B Battery Press Tool Kit (No Jaws)	16	1
31053	RP 210-B	RP 210-B Battery Press Tool Only	12	1

Accessories

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
31023	RP 210-B	Carrying Case	10	1
32068	-	18V Charger	2	1
31013	-	18V 1.1 Ah Li-Ion Battery Pack	1	1
32743	-	18V 2.2 Ah Li-Ion Battery Pack	1	1
31018	-	18V 3.3 Ah Li-Ion Battery Pack	2	1



For pressing 1/2" to 2" fittings in extremely tight spaces use a standard series press ring - page 9.

COMPACT SERIES PRESS JAWS

RIDGID Compact Series press jaws are 40% lighter and 33% smaller than Standard Series jaws, enabling them to fit into tight spaces. RIDGID Compact Series press jaws are only compatible with RIDGID Compact Series press tools (100-B, RP 210-B, RP 200-B).

Copper and Stainless



Compact Jaws for ProPress

Compact Series Jaw Sets for ProPress (copper and stainless)

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
16958	½" Jaw for ProPress	2½	1
16963	¾" Jaw for ProPress	2½	1
16978	1" Jaw for ProPress	2½	1
31228	1¼" Jaw for ProPress	2½	1

PEX



Compact Jaws for PureFlow

Compact Series Jaw Sets for Pureflow (PEX)

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
17003	⅜" Jaw for Pureflow	2½	1
17008	½" Jaw for Pureflow	2½	1
19813	⅝" Jaw for Pureflow	2½	1
17013	¾" Jaw for Pureflow	2½	1
17018	1" Jaw for Pureflow	2½	1
22683	1¼" Jaw for Pureflow	2½	1
22688	1½" Jaw for Pureflow	2½	1

BATTERY-OPERATED PRESS TOOL

½" to 4" Capacity



MODEL RP 330-B BATTERY-POWERED PRESS TOOL

The RP 330-B is designed to handle your toughest construction projects with a 270° rotating swivel barrel and a 32,000-cycle service interval. Powered by an 18V Li-Ion battery, the RP 330-B can achieve over 300 presses per charge.

SPECIFICATIONS

- Capacity: ½" to 4".
- 270° Barrel/Jaw Swivel.
- Battery: 18V Li-Ion.
- Battery Charger: 120V.
- Hydraulic Ram Output: 7,200 lbs. (32kN).
- Weight: 9.8 lbs. with Battery.
- Operating Temperature Range: 15°F to 122°F.
- Approximate Cycle Time: 5 seconds.
- Standard Kit includes: RP 330-B Press Tool, 2 Batteries, Battery Charger and Carrying Case.
- Compatible with all RIDGID Standard Series Pressing Attachments.
- For pressing copper, stainless steel, black steel and PEX, and cutting soil pipe.
- Service Interval: 32,000 cycles.
- Approved by UL to UL and CSA Standards.

RP 330-B with Jaw Sets for ProPress (copper and stainless)

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
27913	RP 330-B	Kit without Jaw Sets	21¾	1
27918	RP 330-B	½" - 1" Jaw Sets for ProPress (copper & stainless steel)	33¾	1
27923	RP 330-B	½" - 2" Jaw Sets for ProPress (copper & stainless steel)	54	1



RP 330-B Kit

Accessories

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
32068	-	18V Charger	1¼	1
27933	RP 330	RP 330 Carrying Case	10¼	1
31013	-	Battery, 18V 1.1 Ah Li-Ion	1	1
32743	-	Battery, 18V 2.2 Ah Li-Ion	1½	1
31018	-	Battery, 18V 3.3 Ah Li-Ion	2	1



Standard Series Jaws for ProPress Copper and Stainless



Pressing Rings for 2½" to 4"



MegaPress Jaws & Rings



Standard Jaws for Pureflow



Pressing Rings for ½" to 1¼"



Press Snap Soil Pipe Cutter



For optimal performance, be sure to charge batteries in temperatures above 50° F and below 104° F.

CORDED PRESS TOOL

1/2" to 4" Capacity

MODEL RP 330-C CORDED PRESS TOOL

For the peace of mind a corded tool offers, choose the RP 330-C press tool. With all of the same features, functionality and durability of the battery-powered version, the RP 330-C press tool is the workhorse of the job site.

SPECIFICATIONS

- Capacity: 1/2" to 4".
- 270° Barrel/Jaw Swivel.
- Hydraulic Ram Output: 7,200 lbs. (32kN).
- Weight: 10.4 lbs.
- Operating Temperature Range: 15°F to 122°F.
- Approximate Cycle Time: 5 seconds.
- Standard Kit includes: RP 330-C Press Tool and Carrying Case.
- Compatible with all RIDGID Standard Series Pressing Attachments.
- For pressing copper, stainless steel, black steel and PEX, and cutting soil pipe.
- Service Interval: 32,000 cycles.
- Approved by UL to UL and CSA Standards.



RP 330-C with Jaw Sets for ProPress (copper and stainless)

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
27938	RP 330-C	Kit without Jaw Sets	19%	1
27943	RP 330-C	1/2" - 1" Jaw Sets for ProPress (copper & stainless steel)	31 3/4	1
27948	RP 330-C	1/2" - 2" Jaw Sets for ProPress (copper & stainless steel)	52	1



Standard Series Jaws for ProPress Copper and Stainless



Pressing Rings for 2 1/2" to 4"



MegaPress Jaws & Rings



Standard Jaws for Pureflow



Pressing Rings for 1/2" to 1 1/4"



Press Snap Soil Pipe Cutter

STANDARD SERIES PRESS JAWS

The Standard Series Pressing Jaws were designed in conjunction with the fitting manufacturer, ensuring compatibility. All RIDGID Standard Series pressing jaws are only compatible with RIDGID Standard Series Pressing Tools (320-E, RP 330-B, RP 330-C & CT400)

Copper



Standard Jaws for ProPress

Standard Series Jaw Sets for ProPress (copper & stainless)

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
76652	½" Jaw for ProPress	4	1
76657	¾" Jaw for ProPress	4¼	1
76662	1" Jaw for ProPress	4½	1
76667	1¼" Jaw for ProPress	4¾	1
76672	1½" Jaw for ProPress	6½	1
76677	2" Jaw for ProPress	10	1

PEX



Standard Jaws for Pureflow

Standard Series Jaw Sets for Pureflow (PEX)

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
22653	½" Jaw for Pureflow	4	1
22658	⅝" Jaw for Pureflow	4¼	1
22663	¾" Jaw for Pureflow	4½	1
22668	1" Jaw for Pureflow	4½	1
22673	1¼" Jaw for Pureflow	4¾	1
22678	1½" Jaw for Pureflow	6½	1
35343	2" Jaw for Pureflow	10	1


See page 11 for MegaPress Jaws

PRESS RINGS



STANDARD SERIES XL-C/S PRESS RINGS FOR USE WITH PROPRESS XL-C/S (COPPER & STAINLESS STEEL FITTINGS)

The patented XL-C/S Press Rings and V2 Actuator provide increased flexibility in tight spaces. The ball-tip V2 Actuator swivels nearly 180° with the XL-C/S Press Rings, allowing increased accessibility when making 2½" to 4" connections on ProPress XL-C/S fittings. These rings work with all RIDGID Standard Series Pressing Tools to make connections on 2½" to 4" copper or stainless steel tubes. (320-E, RP 330-B, RP 330-C & CT400).



Exclusive 180° Swivel for optimum flexibility.

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
20483	XL-C/S	2½" - 4" Rings, Actuator and Case Complete	40¼	1
20543	XL-C/S	2½" Press Ring	6	1
20548	XL-C/S	3" Press Ring	9¾	1
20553	XL-C/S	4" Press Ring	11¾	1
21878	V2	Ring Actuator	7¼	1
21103	—	XL-C Carrying Case Only	7¾	1



Inspecting and cleaning jaws regularly to remove material build-up near the jaw tips prevents the development of a burr on the fitting and the jaw from sticking to the fitting after pressing.

PRESS RINGS (cont.)



STANDARD SERIES XL PRESS RINGS FOR USE WITH PROGRESS XL (BRONZE FITTINGS)

The patented Standard Series XL Press Rings are spring-loaded so they stay in place once they are put onto the fittings. These rings work with the R2 Actuator on all Standard Series Press Tools used to make connections on 2½" to 4" tube (320-E, RP 330-B, RP 330-C & CT400).



STANDARD SERIES PRESS RINGS FOR PROGRESS COPPER AND STAINLESS FITTINGS

Standard Series Press Rings for ProPress fittings permit access in tighter spaces and serve as an excellent complement to your RIDGID jaw sets. The swivel actuator allows a press tool to be placed +/-90 degrees to the tube being pressed!

FEATURES:

- V1 and V2 Kits are designed for RIDGID Standard Press Tools.
- C1 Compact Kits are designed for RIDGID Compact Press Tools.
- ProPress Rings are available in ½" to 2" capacity.
- Standard Kit includes: Press Rings, Actuator and Carrying Case.

COMPATIBLE WITH:

- ProPress System (copper & stainless steel ½" to 2").

SPECIFICATIONS:

- Capacity: ½" to 2".

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
93667	XL	2½" - 4" Rings, Actuator and Case	40	1
93677	XL	2½" XL Pressing Ring	5	1
93682	XL	3" XL Pressing Ring	5¼	1
93687	XL	4" XL Pressing Ring	7¼	1
93692	R2	Ring Actuator (For XL Only)	9	1
16803	-	XL Pressing Ring Carrying Case	9	1

Kits

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
27423	V1	V1 Kit, ½", ¾", 1", 1¼" Ring	10¾	1
27428	V2	V2 Kit, 1½", 2" Ring	13¾	1
28043	C1	C1 Kit, ½", ¾", 1", 1¼" Ring	8½	1
28048	V1/C1	V1/C1 Combo Kit, ½", ¾", 1", 1¼" Ring	12½	1

Rings

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
27998	V1/C1	½" Press Ring	½	1
28003	V1/C1	¾" Press Ring	¾	1
28008	V1/C1	1" Press Ring	1	1
28013	V1/C1	1¼" Press Ring	1	1
28018	V2	1½" Press Ring	1½	1
28023	V2	2" Press Ring	2	1

Actuators

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
28033	V1	V1 Actuator for ½" - 1¼"	4¾	1
21878	V2	V2 Actuator 1½" - 2"	4¾	1
26163	C1	C1 Actuator for ½" - 1¼"	2½	1

Accessories

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
28028	V1/C1	Carrying Case #1 for ½" - 1¼"	3	1
28038	V2	Carrying Case #2 for 1½" - 2"	3	1

MEGAPRESS™ JAWS & RINGS

½" to 2" Capacity

MegaPress Jaws & Rings join ½" to 2" commercially-available Black Iron Pipe schedules 5-40 when used with RIDGID Standard Press Tools (320-E, CT-400, RP 330-B or RP 330-C) and Viega® MegaPress fittings.



FEATURES

- RIDGID press tools, jaws, rings and prep tools are built for the most demanding applications and are backed by the RIDGID Full Lifetime Warranty against material defects and workmanship.
- For use with MegaPress and MegaPress G fittings.
- Prep Tools work with a standard drill and remove burrs and smooth OD of pipe for fitting installation.
- Press connections can be made on "wet" systems.
- No open flame required.

Kit

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
37953	½" - 2" MegaPress Kit for Standard RIDGID Press Tools	69.54	1

Jaws

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
37958	½" MegaPress Jaw for Standard RIDGID Press Tools	4.9	1
37963	¾" MegaPress Jaw for Standard RIDGID Press Tools	5.18	1
37968	1" MegaPress Jaw for Standard RIDGID Press Tools	6.79	1

Rings & Actuator

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
37973	1¼" MegaPress Ring for Standard RIDGID Press Tools	5.97	1
37978	1½" MegaPress Ring for Standard RIDGID Press Tools	6.45	1
37983	2" MegaPress Ring for Standard RIDGID Press Tools	5.99	1
21878	V2 Press Ring Actuator for Standard RIDGID Tools	6.72	1

Prep Tools

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
37993	½" - 1" MegaPress End Prep Tool	1.6	1
37988	1¼" - 2" MegaPress End Prep Tool	2.33	1

Accessories

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
38008	Abrasive Strips (Box of 10) to ½" - ¾"	0.03	1
38003	Abrasive Strips (Box of 10) to 1" - 2"	0.04	1
37998	Steel Carrying Case	23	1



MANUAL PEX CRIMP TOOLS

$\frac{3}{8}$ " to 1" Capacity



ASTM F 1807
PEX Crimp Tool



$\frac{1}{2}$ " & $\frac{3}{4}$ " PEX
Combo Tool



ASTM F 1807 PEX CRIMP TOOLS

The RIDGID ASTM F 1807 PEX Crimp Tools are ideal for making PEX tubing connections in potable water and radiant heating applications with ASTM F 1807 copper crimp rings. The handles are constructed of a durable, glass-filled polycarbonate making the tools over 20% lighter than traditional-style crimp tools, yet rugged enough for the toughest jobs. The E³® (Expert Engineered Ergonomics) handles also provide increased comfort and make crimping effortless.

SPECIFICATIONS

- Available sizes: $\frac{1}{2}$ ", $\frac{3}{4}$ ", 1" and $\frac{1}{2}$ " & $\frac{3}{4}$ " combo tool.
- Easily adjustable lock screw for tool calibration.
- All tools come standard with a go/no-go gauge.

CATALOG NO.	DESCRIPTION	TOOL LENGTH IN.	TOOL WEIGHT LB.	STD. PACK
23448	$\frac{1}{2}$ " PEX Crimp Tool	14 $\frac{1}{4}$	2 $\frac{7}{8}$	1
23458	$\frac{3}{4}$ " PEX Crimp Tool	14 $\frac{3}{4}$	2 $\frac{7}{8}$	1
23463	1" PEX Crimp Tool	15 $\frac{1}{4}$	3	1
23468	$\frac{1}{2}$ " & $\frac{3}{4}$ " PEX Combo Tool	15 $\frac{1}{2}$	3 $\frac{1}{2}$	1

Accessories

CATALOG NO.	DESCRIPTION	TOOL LENGTH IN.	WEIGHT LB.	STD. PACK
23473	$\frac{3}{8}$ " - $\frac{3}{4}$ " ASTM F 1807 gauge	—	1	1
23478	1" ASTM F 1807 gauge	—	1	1
29583	$\frac{3}{8}$ " - 1" Go/No Go gauge	—	1	1

PRESS SNAP™ SOIL PIPE CUTTER



PIPE CUTTER ATTACHMENT

The Press Snap™ Soil Pipe Cutter expands the capabilities of RIDGID standard press tools by providing a fast and easy way to cut cast iron soil pipe. Without lengthy lever arms used by traditional soil pipe cutters, improved access is a snap.

The Press Snap cutter works with all RIDGID standard press tools (CT-400, 320-E, RP 330-B and RP 330-C) to cut most 1½" to 4" soil pipe in seconds. Simply connect the Press Snap cutter to a RIDGID press tool, wrap the chain around the pipe, and press. No manual ratcheting or additional tools are required. Cutting soil pipe has never been so easy!

SPECIFICATIONS

- Compatible with all RIDGID® standard press tools.
- Cuts 1½" to 4" no hub & service weight soil pipe.
- No lengthy lever arms.
- Eliminates the need to score the pipe.
- Completes the cut in seconds.
- Standard Kit: Press Snap cutter, case and operator's manual.

CATALOG NO.	DESCRIPTION	TOOL WEIGHT LB.	STD. PACK
34403	Press Snap Soil Pipe Cutter Kit	12	1
34678	Press Snap Soil Pipe Cutter Case	3.4	1

©2012 RIDGID, Inc. All sales subject to Ridge Tool Company Terms and Conditions of Sales.
Pressing for North America (EN) RIDGID® is a registered trademark of Ridge Tool Company, ProPress® and ProPress GTM are regis-
tered trademarks of Vega. Vega is a registered trademark of Franz Vegeger II GmbH & Company.

We
Build
Reputations™

RIDGID



Boiler-Gas.ru

Перейти на сайт


EMERSON
Commercial & Residential Solutions