

NO.1
KITCHEN APPLIANCES
IN JAPAN
* For gas cooking appliances



100th Anniv.
1920 - 2020

Rinnai

Designed for Living

CATALOGUE 2019
VOL.2





*igniting hidden power
from within*

INNER FLAME SERIES



RB-3CGT 3 Inner Burner Gas Hob RM 5,280

- Inner Flame
- High Heat Efficiency
- Simmer Control
- Safety Device
- Schott Ceran Glass
- Battery Ignition
- Timer
- Cast Iron Pan Support

Gas Input (LPG) L/R: 3.6kW C: 1.5kW
Product Dimension W 853mm D 434mm H 66mm
Cut-out Dimension W 815mm D 405mm



RB-2CGT 2 Inner Burner Gas Hob RM 4,059

- Inner Flame
- High Heat Efficiency
- Simmer Control
- Safety Device
- Schott Ceran Glass
- Battery Ignition
- Timer
- Cast Iron Pan Support

Gas Input (LPG) L/R: 3.6kW
Product Dimension W 738mm D 434mm H 66mm
Cut-out Dimension W 703mm D 403mm



RB-2CGS 2 Inner Burner Gas Hob RM 4,719

- Inner Flame
- High Heat Efficiency
- Touch Sensor
- Safety Device
- Schott Ceran Glass
- Simmer Control
- Electric Ignition (240v/50Hz)
- Cast Stainless Steel Pan Support

Gas Input (LPG) L/R: 3.6kW
Product Dimension W 737mm D 440mm H 67mm
Cut-out Dimension W 703mm D 403mm



RB-3SI-C-S 3 Inner Burner Gas Hob RM 2,233

- Inner Flame
- High Heat Efficiency
- Simmer Control
- Safety Device
- Stainless Steel Top
- Battery Ignition
- Flexible Cut-out
- Cast Iron Pan Support

Gas Input (LPG) L/R: 3.6kW C: 1.4kW
Product Dimension W 870mm D 510mm H 73mm
Cut-out Dimension W 725-840mm D 435-480mm



RB-2GI 2 Inner Burner Gas Hob RM 2,183

- Inner Flame
- High Heat Efficiency
- Simmer Control
- Safety Device
- Tempered Glass
- Battery Ignition
- Cast Iron Pan Support

Gas Input (LPG) L/R: 3.5kW
Product Dimension W 780mm D 466mm H 66mm
Cut-out Dimension W 703mm D 403mm

FEATURES

Tornado Inner Flame




Versatile Flame Settings With Simmer

Perfect flame control, with powerful, controllable and even heating, providing the ideal setting to cook your favourite Asian dishes.

Save Gas And Cooking Time

The Inner Flame burner helps reduce energy - it heats the cookware from middle - resulting in less heat lost.



Water Boiling Test

	Inner Flame	Normal Flame
Gas Input	3.6kW	4.2kW
Boiling Time	348 sec	414 sec
Heat Efficiency	52%	40%

*Based on Japan internal test



Rinnai's Original Combustion Technology

Armed with 52% heat efficiency, the Inner Flame burner cooks faster and uses lesser gas than conventional gas hobs with 40% heat efficiency.



Protection From The Wind

You no longer have to worry about leaving the windows open when cooking - the Tornado Inner Flame is isolated and protected from surrounding winds.



Timer

Allows you to conveniently set cooking timer up to 4 hours (Auto cut off the flame when time is up) for more controlled cooking.



Aluminium Louvre

Oxygen can be drawn in rapidly for more efficient gas burning.



Cast Iron Pan Support

Cast iron pan support is solid and never deforms in shape. It ensures stability of your wok and pan.



Inner Drip Pan

Overboiled soup will flow into the inner drip pan, which can be easily taken out for cleaning.

*hyper performance
for recipe hypes*

HYPER BURNER SERIES



05 | **HYPER BURNER SERIES**
BUILT-IN HOBS



RB-93UG 3 Hyper Burner Gas Hob **RM 2,178**

- | | | |
|-----------------------|----------------------|------------------|
| Flexible Cut-out | Simmer Control | Sealed Burner |
| Schott Glass | Safety Device | Battery Ignition |
| Cast Iron Pan Support | Rubber Legs Attached | |

Gas Input (LPG) L/R: 5.5kW C: 2.0kW | **Product Dimension** W 880mm D 520mm H 70mm
Gas Input (NG) L/R: 5.3kW C: 1.9kW | **Cut-out Dimension** W 705 - 840mm D 405 - 480mm



RB-92G 2 Hyper Burner Gas Hob **RM 1,815**

- | | | |
|-----------------------|----------------------|------------------|
| Flexible Cut-out | Simmer Control | Sealed Burner |
| Schott Glass | Safety Device | Battery Ignition |
| Cast Iron Pan Support | Rubber Legs Attached | |

Gas Input (LPG) L/R: 5.5kW | **Product Dimension** W 880mm D 520mm H 70mm
Gas Input (NG) L/R: 5.3kW | **Cut-out Dimension** W 705 - 840mm D 405 - 480mm



RB-72G 2 Hyper Burner Gas Hob **RM 1,705**

- | | | |
|-----------------------|----------------------|------------------|
| Flexible Cut-out | Simmer Control | Sealed Burner |
| Schott Glass | Safety Device | Battery Ignition |
| Cast Iron Pan Support | Rubber Legs Attached | |

Gas Input (LPG) L/R: 5.5kW | **Product Dimension** W 770mm D 460mm H 70mm
Gas Input (NG) L/R: 5.3kW | **Cut-out Dimension** W 650 - 730mm D 350 - 410mm



RB-72S 2 Hyper Burner Gas Hob **RM 1,540**

- | | | |
|-----------------------|----------------------|------------------|
| Flexible Cut-out | Simmer Control | Sealed Burner |
| Stainless Steel Top | Safety Device | Battery Ignition |
| Cast Iron Pan Support | Rubber Legs Attached | |

Gas Input (LPG) L/R: 5.5kW | **Product Dimension** W 760mm D 460mm H 70mm
Gas Input (NG) L/R: 5.3kW | **Cut-out Dimension** W 650 - 730mm D 350 - 410mm

FEATURES

Rinnai's Most Powerful 5.5kW Flame From Japan Technology



Armed with a **Hyper Burner**, this hob features a super powerful wok-style flame to suit Asian cooking styles. It's by far the highest gas input hob among our range.



5.5kW Flame

Emits the most powerful 5.5kW flame via the Hyper Burner to ensure maximum heating power for best flavours in cooking, especially the famous "Wok hei" in Asian cooking.




Rubber Legs

The attached rubber legs allow you to place the hob directly on the kitchen workspace, without having to cut a hole or modify the kitchen top.



Cast Iron Pan Support

Cast Iron pan support is solid and never deforms in shape. It ensures stability of your wok and pan.



Delicate Simmer Flame

Flame can be adjusted low enough to simmer soups and stews.



Schott Glass

Durable and heat resistant Schott Glass.



Sealed Burner

Messy spillages are minimized and cleaning the hob is quick and easy.



Flexible Cut Out Size

Both the glass and stainless steel top plate fit the hob on any cut-out dimension as stated, without further modification to your counter-top. Good as a replacement hob!








*powerful flame for
powerful dishes*

POWERFUL BURNER SERIES














RB-3SS-C-S 3 Burner Gas Hob RM 2,103

-  Double Ring
-  Simmer Control
-  Flexible Cut-out
-  Safety Device
-  Stainless Steel Top
-  Battery Ignition
-  Cast Iron Pan Support

Gas Input (LPG) L/R: 4.2kW C: 2.2kW **Product Dimension** W 870mm D 510mm H 73mm
Cut-out Dimension W 725 - 840mm D 435 - 480mm





RB-7503D-GBSM 3 Burner Gas Hob RM 2,312

-  Double Ring
-  Sealed Burner
-  Flexible Cut-out
-  Tempered Glass
-  Safety Device
-  Battery Ignition
-  Cast Iron Pan Support
-  Rubber Legs Attached

Gas Input (LPG) L/R: 4.2kW C: 1.5kW **Product Dimension** W 780mm D 466mm H 68.5mm
Cut-out Dimension W 650 - 735mm D 350 - 421mm



RB-7502D-GBS 2 Burner Gas Hob RM 1,937

-  Double Ring
-  Sealed Burner
-  Flexible Cut-out
-  Tempered Glass
-  Safety Device
-  Battery Ignition
-  Cast Iron Pan Support
-  Rubber Legs Attached

Gas Input (LPG) L/R: 4.2kW **Product Dimension** W 780mm D 466mm H 68.5mm
Cut-out Dimension W 650 - 735mm D 350 - 421mm

FEATURES



Flame with Simmer Control

The double ring burner features simmer control for greater cooking versatility, offering a powerful wok-style flame to suit Asian cooking styles.



1-hand Ignition

The gas ignites automatically with one push and a turn, offering the convenience of using one hand to control the flame.



Cast Iron Pan Support

Cast Iron pan support is solid and never deforms in shape, it ensures stability of your wok and pan.




Flame Failure Safety Device

When the burner is accidentally extinguished, the thermostat reacts and shuts off the gas supply to the burner.



Air Intake

Oxygen can be drawn in rapidly for more efficient gas combustion.



Flexible Cut Out Size

Both the glass and stainless steel top plate fit the hob on any cut-out dimension as stated, without further modification to your counter-top. Good as a replacement hob!



Raised edge to prevent overspilled

Thoughtfully designed raised edge to prevent spillage from flowing to kitchen counter to keep kitchen space clean.









*Flexible
hob
for
versatile
cooking*

FLEXIBLE SERIES

JAPAN GOOD DESIGN AWARD



RB-713N-G 3 Burner Gas Hob RM 1,018

-  Sealed Burner
-  Flexible Cut-out
-  Matt Enamel Pan Support
-  Tempered Glass
-  Battery Ignition
-  Rubber Legs Attached

Gas Input (LPG) L/R: 3.7kW C: 1.6kW







Product Dimension W 780mm D 465mm H 67mm

Cut-out Dimension W 650 - 735mm D 350 - 421mm

JAPAN GOOD DESIGN AWARD



RB-713N-S 3 Burner Gas Hob RM 924


-  Sealed Burner
-  Flexible Cut-out
-  Matt Enamel Pan Support
-  Stainless Steel Top
-  Battery Ignition
-  Rubber Legs Attached

Gas Input (LPG) L/R: 3.7kW C: 1.6kW







Product Dimension W 770mm D 452mm H 72mm

Cut-out Dimension W 650 - 735mm D 350 - 421mm

JAPAN GOOD DESIGN AWARD



RB-712N-G 2 Burner Gas Hob RM 871

-  Sealed Burner
-  Flexible Cut-out
-  Matt Enamel Pan Support
-  Tempered Glass
-  Battery Ignition
-  Rubber Legs Attached

Gas Input (LPG) L/R: 3.7kW







Product Dimension W 780mm D 465mm H 67mm

Cut-out Dimension W 650 - 735mm D 350 - 421mm

JAPAN GOOD DESIGN AWARD



RB-712N-S 2 Burner Gas Hob RM 777

-  Sealed Burner
-  Flexible Cut-out
-  Matt Enamel Pan Support
-  Stainless Steel Top
-  Battery Ignition
-  Rubber Legs Attached

Gas Input (LPG) L/R: 3.7kW

Product Dimension W 770mm D 452mm H 72mm

Cut-out Dimension W 650 - 735mm D 350 - 421mm

FEATURES



Flame
Semi double ring ensures excellent heat distribution for quick and even cooking.



Elegant Knobs
Ergonomic and elegantly designed knobs for the perfect combination of form and function.



Sealed Burners
Messy spillages are minimized and cleaning the hob is quick and easy.



Rubber Legs
The attached rubber legs allow you to place the hob directly on the kitchen workspace, without having to cut a hole or modify the kitchen top.



Battery Ignition
Fast and easy, with no electrical wiring. Easy to replace battery too.



Wok Stand
Additional wok stand to support a big wok for Asian cooking or stir frying.



Flexible Cut Out Size
Both the glass and stainless steel top plate fit the hob on any cut-out dimension as stated, without further modification to your counter-top. Good as a replacement hob!



Cast Iron Wok Stand (Optional)
Cast iron wok stand is solid and never deforms in shape.







*customized
solution
for
master
chefs*

MODULAR SERIES






RB-11N-C Domino Inner Burner RM 2,831







-  Inner Flame Designed to Reduce Energy Consumption
-  Schott Ceran Glass
-  Cast Stainless Steel Pan Support
-  Battery Ignition
-  Safety Device
-  Aluminium Frame

Gas Input (LPG) 3.6kW

Product Dimension W 310mm D 522mm H 40mm
Cut-out Dimension W 268mm D 490mm




RB-11G-C Domino Grill Burner RM 3,200

-  Schott Ceran Glass
-  Safety Device
-  Cast Iron Grill Plate
-  Detachable Drip Pans For Easy Cleaning.
-  Aluminium Frame
-  Battery Ignition

Gas Input (LPG) 2.2kW

Product Dimension W 310mm D 522mm H 49mm
Cut-out Dimension W 268mm D 490mm




RB-12S-C Domino Double Burner RM 3,568







-  Sealed Burner
-  Safety Device
-  Battery Ignition
-  Schott Ceran Glass
-  Cast Stainless Steel Pan Support
-  Aluminium Frame

Gas Input (LPG) L: 2.0kW S: 1.6kW

Product Dimension W 310mm D 522mm H 49mm
Cut-out Dimension W 268mm D 490mm



RB-11S-C Domino Single Burner RM 2,831

-  Sealed Burner
-  Safety Device
-  Battery Ignition
-  Aluminium Frame
-  Schott Ceran Glass
-  Cast Iron Pan Support

Gas Input (LPG) 4.2kW

Product Dimension W 310mm D 522mm H 49mm
Cut-out Dimension W 268mm D 490mm

FEATURES



Elegant Knobs
Ergonomically designed metal knobs that enhance the appearance of this modular series.



Double Sealed Burner
Fully sealed burner that prevents spillage from leaking into the inner body of the hobs. Easy to clean.



Grill Burner
Aesthetic European design with Asian cooking style. Do it your way!



Efficient Flame
High heat efficiency with even heat distribution for a perfect grill.










*modern
solution
for
fast-track
lifestyle*

ELECTRIC HOB SERIES













RB-7022HE-CB Combi Vitroceramic & Induction Hob **RM 3,455**

-  Schott Ceran Glass
-  9 Power Levels
-  Touch Sensor
-  Pan Recognition Sensor (For Induction Zone)
-  Booster Function (For Induction Zone)
-  Timer
-  Residual Heat Indicator (For Vitroceramic Zone)
-  Safety Switch Off
-  Child Lock

L: 1.1kW / 2.2kW (ø140 / 230mm) **Product Dimension** W 710mm D 410mm H 60mm
R: 1.8kW / 2.1kW (ø220mm) **Cut-out Dimension** W 680mm D 380mm









RB-3022H-CB Induction Hob **RM 2,651**

-  Schott Ceran Glass
-  9 Power Levels
-  Touch Sensor
-  Pan Recognition Sensor
-  Booster Function
-  Timer
-  Safety Switch Off
-  Child Lock

F: 1.8kW / 2.1kW (ø210mm) **Product Dimension** W 310mm D 520mm H 58mm
B: 1.2kW / 1.5kW (ø160mm) **Cut-out Dimension** W 270mm D 490mm











RB-3012E-CB Vitroceramic Hob **RM 2,314**

-  Schott Ceran Glass
-  9 Power Levels
-  Touch Sensor
-  Residual Heat Indicator
-  Safety Switch Off
-  Timer
-  Child Lock
-  Stop / Go Function

F: 1.8kW (ø200mm) **Product Dimension** W 310mm D 520mm H 50mm
B: 1.2kW (ø165mm) **Cut-out Dimension** W 270mm D 490mm










RB-7013H-CB Induction Hob **RM 3,938**

-  Schott Ceran Glass
-  9 Power Levels
-  Touch Sensor
-  Pan Recognition Sensor
-  Booster Function
-  Timer
-  Safety Switch Off
-  Child Lock

L: 1.8kW / 2.1kW (ø210mm) **Product Dimension** W 710mm D 410mm H 58mm
C: 1.2kW / 1.5kW (ø160mm) **Cut-out Dimension** W 680mm D 380mm
R: 1.8kW / 2.1kW (ø210mm)



RB-7013E-CB Vitroceramic Hob **RM 3,269**

-  Schott Ceran Glass
-  9 Power Levels
-  Touch Sensor
-  Residual Heat Indicator
-  Safety Switch Off
-  Timer
-  Child Lock

L: 1.1kW / 2.2kW (ø140 / 230mm) **Product Dimension** W 710mm D 410mm H 50mm
C: 1.2kW (ø165mm) **Cut-out Dimension** W 680mm D 380mm
R: 1.8kW (ø200mm)

FEATURES



Induction Hobs vs Gas Hobs

Induction cooking works by creating a magnetic field that generates heat directly through the base of the cookware. Induction hobs are safe, as the heat is directly transferred to the food being cooked. Even if the controls are turned on unintentionally, the hob heats up only when it detects suitable cookware placed on the cooking zone. Induction hobs boil and cook faster than gas hobs, because of the heat concentration and high heat efficiency with almost no heat loss.



Timer

Allows you to conveniently set cooking timer from 0-99 minutes for more controlled cooking.



Auto Pan Recognition Sensor (Induction Only)

Induction hobs are particularly energy saving as the cooking zone recognizes the size of the cookware, and heats up the base of the cookware and not the whole cooking zone. It also detects suitable cookware with the right base dimensions.



Dual Circuit Zone

Select between smaller or larger cooking zone, depending on the size of your pots / pans, so you can save more energy.



Residual Heat Indicator

The indicator lights up when the surface is hot to warn against hot surface and prevent accidental burn.



Booster Function

Increases max power temporarily to quickly heat up cooking zone and save cooking time.



Schott Ceran Glass

When it comes to heat, Schott Ceran glass is more durable. The smooth ceramic glass surface offers practical use as well as easy maintenance.



Child Lock

The control panel can be locked after programming, preventing a curious child from switching on the cooker, and ensuring the hob does not accidentally get heated up during cleaning.



*refreshed after
every cooking*

SLANTED HOOD SERIES


Say goodbye to stuffy, odour-filled air in your kitchen!

Introducing the revolutionary **RINNAI nano LIGHT** TiO₂ (Titanium Dioxide) cooker hood.

The **Rinnai Nano Light Cooker Hood** is a high-precision engineering marvel that utilises 'Photocatalytic Oxidation' to destroy harmful bacteria, eliminates odour and consequently, purifies the air in your kitchen.

The special **Nano Light** emanating from the cooker hood is irradiated onto the **TiO₂** via a process known as **Nano Photocatalysis**. It subsequently releases electrons into the atmosphere. The released electrons, in combination with oxygen, are then transformed into 'Superoxide Anion' where the surface of the TiO₂ becomes positively charged and absorbs electrons from the moisture of the air. Thus, the air that is now devoid of electrons becomes 'Hydroxyl Radical' and together with the 'Superoxide Anion' it turns decomposed organic compounds e.g. bacteria, fungi, hazardous gases and offensive odours into water vapours.

As a result, through oxidative destruction, the air is more hygienic and odour-free. The **Rinnai Nano Light Cooker Hood** is a great companion to have in your kitchen; leaving it significantly odourless and refreshed after every cooking session.



RH-K709-GB 90cm Slanted Hood

RM 3,675

- Nano-Photocatalytic Light
- 3 Speed Settings
- LED Light
- LED Touch Sensor Slider Control
- Baffle Filter
- Ventilation
- Safety Lock Button for Cleaning
- Delay Timer
- Oil Cup

Suction Power
1150m³/hr


Overall Dimensions
W 900mm D 455mm H 945 - 1330mm

Eliminates 99.99% Of E-coli Bacteria	Eliminates 99.93% Staphylococcus Albus Airborne Bacteria	Purifies 98.86% Of Air Kitchen Odour	Reduces 87.80% Of Formaldehyde Polluted Air	Reduces 86.80% Of Benzene Hazardous Gas	Eliminates 83.77% Of Organic Pollutants Airborne Bacteria
---	---	---	--	--	--

Proven effectiveness of Nano-Photocatalytic Light based on test results conducted at 4 institutions around the world.



The air in the kitchen is generally contaminated, humid and stale; rendering it unhygienic.



The Nano Light is to eliminate harmful bacteria and purify the air in the kitchen via a process called Nano Photocatalysis.



After the Nano Photocatalysis process, the air in the kitchen will be markedly refreshed and odour-free.

FEATURES



Nano Light

The special Nano Light rays destroy bacteria and other harmful agents with molecular scale precision. It is a safe and convenient way to keep your kitchen hygienically clean.



LED Light

Bright and energy saving. The lights provide illumination for the cooking zone.



Powerful Motor

This powerful mechanism will extract cooking fumes and vapours by expelling them via a duct leading to the outdoors.



Baffle Filter

Grease and moisture will be captured by the specially designed, sloped Baffle Filter. It will subsequently filter and trap them in a specially-built grease collector, located at the rear of the hood.



Touch Sensor Slider Control

Just slide the speed control lever to adjust the suction power and specific settings for different cooking methods.



Extra Large Oil Collector

With a huge capacity to collect more oil, this stainless steel oil collector is a definite advantage in a cooker hood. It even has a window for easy monitoring of the oil level.



Auto Sliding Glass

When the unit is switched on, the glass will automatically slide up to draw in the cooking fumes and maximize the hood's extraction.



*clean and clear in
split second*

CHIMNEY HOOD SERIES



RH-C94A-SSVR 90cm Chimney Hood RM 1,716

- LED Touch Sensor Control
- LED Light
- 3 Speed Settings
- Delay Timer
- Ventilation
- Recirculation
- Oil Cup

Suction Power 1000m³/hr
Overall Dimensions W 895mm D 500mm H 582-1040mm



RH-C91A-SSVR 90cm Chimney Hood RM 2,980

- Powerful Turbo Motor
- LED Light Bar
- 3 Speed Settings
- LED Touch Sensor Control
- Delay Timer
- Booster Function
- Rectifier Panel
- Ventilation
- Recirculation
- Oil Cup

Suction Power 1350m³/hr
Overall Dimensions W 898mm D 500mm H 525-990mm

FEATURES



LED Light
Energy saving and long lasting LED gives out a warm, natural light.



Mesh Filter
Easy to take apart and clean.



Delay Timer
The cooker hood will switch off automatically at a preset time, so you can proceed with your meal after cooking is done. Meanwhile, the cooker hood will continue to extract the oily fumes, leaving a clean kitchen without smoke or pungent smells.



Sensor Touch Control
Touch control is extremely easy to use and indicates speed, light and delay timer.



*alumni of powerful
fan motor*

CHIMNEY HOOD SERIES



RH-C819-GB 90cm Chimney Hood RM 2,759

- Powerful Turbo Motor
- LED Light Bar
- 3 Speed Settings
- LED Touch Sensor Control
- Delay Timer
- Booster Function
- Detachable Baffle Filter
- Ventilation
- Recirculation
- Oil Cup

Suction Power 1350m ³ /hr	Overall Dimensions W 898mm D 505mm H 545 - 1010mm
--	---



RH-C779-SB 90cm Chimney Hood RM 2,267

- LED Touch Sensor Slider Control
- Stainless Steel Oil Cup
- Clock Setting
- Ventilation
- Recirculation
- Delay Timer
- LED Light
- Baffle Filter

Suction Power 1000m ³ /hr	Overall Dimensions W 896mm D 482mm H 560 - 845mm
--	--



RH-C789-SG 90cm Chimney Hood RM 1,813

- LED Touch Sensor Slider Control
- Oil Cup
- Clock Setting
- Ventilation
- Recirculation
- Delay Timer
- LED Light
- Pyramid Filter

Suction Power 1000m ³ /hr	Overall Dimensions W 900mm D 500mm H 556 - 956mm
--	--

FEATURES



Sensor Touch Control
Touch control is extremely easy to use and indicates speed, light and delay timer.



Long LED Bar
Energy saving and long lasting LED gives out a warm, natural light.



Baffle Filter with Wire
Baffle filters come with a grease trap and the filters are sloped, so any grease and moisture that is captured will drip into the grease collector at the back of the hood. With a wire hooked onto the filter, you can take them out without worrying accidental drop.



Oil Collector
The large stainless steel oil cup can contain more oil and has a window to see the oil level.



Step 1



Step 2

Easy-to-open Baffle Filter
The baffle filters can be easily opened up for cleaning since there are no screws attached to it.



IT'S NOT
HOW GOOD
YOU ARE
IT'S
HOW GOOD
YOU WANT



*fanning out fumes
without fuss*

CHIMNEY HOOD SERIES



RH-C149-SS-RM 90cm Chimney Hood RM1,646

- Touch Sensor Control
- LED Light
- 3 Speed Settings
- Delay Timer
- Oil Cup
- Recirculation
- Ventilation

Suction Power 1000m ³ /hr	Overall Dimensions W 900mm D 500mm H 490 - 970mm
--	--



RH-C119-SS 90cm Chimney Hood RM1,106

- Mechanical Control
- LED Light
- 3 Speed Settings
- Oil Cup
- Ventilation
- Recirculation

Suction Power 850m ³ /hr	Overall Dimensions W 898mm D 515mm H 625 - 975mm
---	--

FEATURES



LED Light
Energy saving and long lasting LED gives out a warm, natural light.



Mesh Filter
Easy to take apart and clean.



Delay Timer
The cooker hood will switch off automatically at a preset time, so you can proceed with your meal after cooking is done. Meanwhile, the cooker hood will continue to extract the oily fumes, leaving a clean kitchen without smoke or pungent smells.



Sensor Touch Control
Touch control is extremely easy to use and indicates speed, light and delay timer.



*masterpiece in kitchen for
master chef at heart*


DESIGNER HOOD SERIES



RH-T64A-SSVR 60cm Telescopic Hood RM 693

- Mechanical Control
- Incandescent Light
- 2 Speed Settings
- Ventilation
- Recirculation
- Auto On/Off Switch

Suction Power 520m³/hr
Overall Dimensions W 595mm D 296mm H 225mm



RH-T94A-SSVR 90cm Telescopic Hood RM 816

- Mechanical Control
- Incandescent Light
- 2 Speed Settings
- Ventilation
- Recirculation
- Auto On/Off Switch

Suction Power 525m³/hr
Overall Dimensions W 895mm D 296mm H 225mm

FEATURES



Speed Settings

You can conveniently select various speed settings, depending on the types of dishes you are cooking.



Auto On/Off Sliding Carriage

The motor automatically regulates on/off by opening/closing the sliding carriage. The motor works according to the last speed selected when sliding carriage is opened. Suitable for compact spaces where you can conveniently slide out when needed.



Aluminium Mesh Filter

The mesh filters capture particles of grease, keeping the kitchen free of oily fumes, and it can be easily taken out to wash.








clearing the air in style

SLIM HOOD SERIES




RH-S259-SSV-T/SSR-T 90cm Slim Hood RM1,317






-  Sensor Touch Control
-  LED Light
-  4 Speed Settings
-  Delay Timer
-  Oil Cup
-  Recirculation
-  Rectifier Panel
-  Ventilation

Suction Power
515m³/hr

Overall Dimensions
W 898mm D 515mm H 140mm



RH-382VR 90cm Slim Hood RM 778

-  Mechanical Control
-  Light
-  3 Speed Settings
-  Ventilation
-  Recirculation

Suction Power
480m³/hr

Overall Dimensions
W 898mm D 515mm H 140mm

FEATURES



Rectifier Panel

Grease will be trapped and automatically flow into the oil cup for easy disposal.



Sensor Touch

Sensor Touch control with LED backlight that indicates speed, light and delay timer.



LED Light

Energy saving and long lasting LED gives out a warm, natural light.



Magnetic Lock

Rectifier panel can be easily detached for cleaning. Save the hassle of loosening the mounting screws.



cook more. cook bigger.

ELECTRIC OVEN SERIES



RO-E6208TA-EM 60cm Oven RM 2,946

8 functions

- 3D circular heating
- Mirror reflective glass with stainless steel frame
- Temperature setting: 60c - 260c
- Triple glazed removable glass door
- Rotary knobs with touch control panel
- Digital timer with auto end cook
- Large viewing window
- Cooling fan
- Rotisserie
- Energy efficiency class: A
- Extra-large capacity: 70lt

Overall Dimensions

W594mm D568.8mm H594mm

Cut-out Dimension

W558mm D550mm H595mm



RO-E6206XA-EM 60cm Oven RM 2,606

6 functions

- Mirror reflective glass with stainless steel frame
- Temperature setting: 60c - 260c
- Triple glazed removable glass door
- Rotary knobs with electronic display
- Digital timer with auto end cook
- Large viewing window
- Cooling fan
- Rotisserie
- Energy efficiency class: A
- Extra-large capacity: 70lt

Overall Dimensions

W594mm D568.8mm H594mm

Cut-out Dimension

W558mm D550mm H595mm



FEATURES



Extra-Large Cavity

The 70lt extra-large cavity offers you extra space for flexible cooking.



Multifunction

Each function is designed to give you the most ideal cooking method to suit your recipe and to provide the best results. For e.g. Fan & Grill function ensure your large roast is being cooked through.



Sensor Touch Timer

You can use the timer to count down the cooking time, and even program your oven to start or stop at a particular time.



3D Circular Fan

The circular heating will distribute the heat evenly, so you can cook different kinds of food on different shelves simultaneously, without worrying that the smells and tastes be transferred from one dish onto another.



Removable Door

The glass door can be detached easily so that the oven cavity can be cleaned more easily and thoroughly.

Measurements in mm.

* For bench top installation, minimum 5mm ventilation gap is required on both sides of the appliance. If oven is installed below a hob, minimum 30mm ventilation gap between hob and oven, or the distance instructed in the hob manufacturer's instruction manual is required. Follow the higher distance if in doubt.

COOKING FUNCTIONS



Oven Light



Grill and Fan



Top & Bottom Heating Elements / Conventional



Top & Bottom Heating Elements with Fan



Bottom Heating with Fan / Delicate Cook



Grill



Defrost



Upper Heater



Circular Heating Elements with Fan / 3D Hot Air



now everyone can cook

MICROWAVE SERIES



RO-M3411-ST
34lt Combi Convection Microwave with Grill **RM 3,375**


- 6 microwave power levels
- 9 auto cooking menus
- Sensor touch control with LCD display
- Timer setting (max 95 mins)
- Speedy weight defrost
- Cooking end signal
- Integral cooling fan
- Digital clock
- Child Lock
- Microwave power output: 1,400W
- Grill power: 1,250W
- Convection power: 2,050W
- ø 270mm glass turntable
- Baking pan (x1) & Grill rack (x1)

Overall Dimensions

W595mm D552mm H460mm

Cut-out Dimension

W560mm D505mm H455mm



RO-M2561-SM
25lt Combi Microwave with Grill **RM1,548**

- 6 microwave power levels
- 8 auto cooking menus
- Electronic control
- Quick start
- Speedy weight defrost
- Cooking end signal
- Rotary selector dial
- Digital clock
- Child lock
- Easy to clean stainless steel frame and cavity
- Microwave power output: 1,400W
- Grill power: 1,000W
- ø 270mm glass turntable
- Grill rack (x1)

Overall Dimensions

W595mm D395mm H390mm

Cut-out Dimension

W560mm D440mm H365mm

FEATURES



Stainless Steel Cavity
Extra large cavity, easy to clean.



Combination Cooking
This microwave oven comes with 8 auto cooking functions. Chicken is 1 pre-programmed setting that combines both convection heat and microwave.



Grill Mode
Grill cooking is suitable for thin slices of meat, steaks, chops, kebabs, sausages and chicken.



LED Backlight Rotary Control
Rotary selector to set the weight, temperature or select auto-menu.



of tender, love and sunshine

GAS CLOTHES DRYER





RDT-62-RM-W
Gas Clothes Dryer

RM 3,367

- Maximum Drying Content: 6-6.5kg
- Gas Consumption: 4.65kW (4000kcal/h)
- Standard Drying Time: 60 min (approximately)
- Weight (Body only): 30kg
- Power Consumption: 250W (at standby, 0.2W)
- Power Cord Length: 1.5 meters
- Function: General, Thick & Extra, Warm, Delicate, Timer, Fast 1KG




Overall Dimensions
W650mm D561mm H684mm



Wall Rack RM 283

Standing Rack RM 453


FEATURES



	UNDER SUN	ELECTRIC DRYER	GAS DRYER
COST	0	\$\$\$\$	\$\$
FLUFFINESS	👍	👍👍	👍👍👍👍
DRYING TIME	👍	👍👍	👍👍👍
ANTI-BACTERIA	👍👍👍👍	👍👍👍	👍👍👍👍
SPACE	👍	👍👍👍👍	👍👍👍👍
WEATHER	👍	👍👍👍👍	👍👍👍👍


Soft & Fluffy

- A built-in microchip sensor constantly monitors humidity at half-second intervals to prevent over drying.
- Water vapour produced during gas combustion keeps your clothes soft & fluffy.



Speedy & Economy

- Gas heats up the air intake much quicker than electricity. That's why a gas dryer needs only half the time required by electric dryer to dry the same load.
- Gas heat eliminates microorganisms or dust from your laundry.
- Long term energy saving of about 20% are yours to enjoy.



Easy Operation

- A computerized user-friendly control panel offers the ease of one-touch operation.
- There are different programs to suit different fabric materials.
- With the built-in sensor, you don't even need to set a timer to ensure best drying results.

Fast 1KG

> 20 min quick drying of small amount of clothes for 1kg

Kills more than 99% of germs



Indoor Drying Increases Bacteria Growth


Drying laundry indoors may lead to rapid growth of bacteria on clothes. As a result, your clothes may smell, and you're more susceptible to diseases such as otitis media, asthma and respiratory infection.



Outdoor Drying Exposes Clothes to Pollutants

Poor outdoor air quality means that the laundry hung outside for long period of time would accumulate large quantity of PM2.5 particles (atmospheric particulate matters that have a diameter of less than 2.5 micrometers) that can cause skin allergy among children.

Comparison disinfection of E.coli (Escherichia coli)



Ideal for baby clothes drying

Our dryer demonstrates the same level of disinfection effect as sun-dried. Moreover, since there is no need for external drying, there is no worry that particulates such as dust and exhaust gas will adhere.



*slick fixture for refreshed
serendipity*

INFINITY GAS WATER HEATER



Remote Controller
MC-91-2A
(optional accessory)
RM 230



REU-VR2626WG-ASN

Infinity 26 External Gas Water Heater

RM 3,617

- Superior Japanese Technology & Quality
- Rapidstart Technology For Faster Hot Water
- Endless Hot Water
- Compact & Space Saving
- Low Running Cost
- Highly Safe & Efficient
- 5 Star Energy Ratings
- Easy Connection For Controller (for remote auto setting only)
- No Transformer

Gas: LPG / NG

Input Rating Max: 46,000 kcal/h
Input Rating Min: 3,300 kcal/h

Operation

220v-240v / 50Hz

Total Supply Point

4-5 Bathrooms

* Supply Point : The number of point the Gas Hot Water Heater can supply depends on water pressure, ambient water temperature and the outlets' water flow capacity.

Factory Pre-set Temp

55°c

Fixed Temp by DipSW

42,50,55,60,65,75,85°c

Casing Colour

Euro White

Product Dimension

W350mm D170mm H530mm



Economical Operation



Endless Hot Water



Space Saving, Compact Size



Environmental Friendly



Remote Water Controller




Safety Features

FEATURES

MIXER OPTION

NOTES:


1. HEATER TEMPERATURE PRESET @ 55°c
2. MANUALLY ADJUST SHOWER/TAP TEMPERATURE USING MIXER
3. SEPARATE HOT & COLD PIPING ARE REQUIRED



REMOTE AUTO SETTING


NOTES:

1. ADJUSTABLE TEMPERATURE FROM 37°c TO 50°c
2. SELECTED TEMPERATURE IS INDICATED ON REMOTE CONTROL
3. APPLICABLE FOR EXISTING CONCEALED SINGLE PIPING




BUILT-IN HOBS INNER FLAME BURNER SERIES


RB-3CGT




RB-2CGT




RB-2CGS



RB-3SI-C-S




RB-2GI




BUILT-IN HOBS HYPER BURNER SERIES


RB-93UG




RB-92G



RB-72G




RB-72S




BUILT-IN HOBS POWERFUL BURNER SERIES


RB-3SS-C-S



RB-7503D-GBSM




RB-7502D-GBS




BUILT-IN HOBS MODULAR SERIES


RB-11N-C




RB-11G-C



RB-12S-C




RB-11S-C




BUILT-IN HOBS FLEXIBLE SERIES


RB-713N-G




RB-713N-S



RB-712N-G




RB-712N-S




BUILT-IN HOBS ELECTRIC HOB SERIES


RB-7022HE-CB




RB-3022H-CB




RB-7013H-CB



RB-3012E-CB




RB-7013E-CB




COOKER HOODS SLANTED SERIES

RH-K709-GB




COOKER HOODS CHIMNEY HOOD SERIES

RH-C94A-SSVR




RH-C91A-SSVR




COOKER HOODS CHIMNEY HOOD SERIES


RH-C819-GB




RH-C779-SB




RH-C789-SG



RH-C149-SS-RM




RH-C119-SS




COOKER HOODS DESIGNER HOOD SERIES


RH-T64A-SSVR




RH-T94A-SSVR



RH-S259-SSV-T/SSR-T




RH-382VR




COOKER HOODS SLIM HOOD SERIES

BUILT-IN OVEN ELECTRIC OVEN

RO-E6208TA-EM




RO-E6206XA-EM




BUILT-IN OVEN MICROWAVE OVEN

RO-M3411-ST




RO-M2561-SM




GAS CLOTHES DRYER

RDT-62-RM-W



GAS WATER HEATER

REU-VR2626WG-ASN



www.rinnai.com.my

Dealer:



Rinnai (Malaysia) Sdn. Bhd. (015790-A)

D2-3, Block D2, Pusat Dagangan Dana 1, Jalan PJU 1A/46,

PJU 1A, Ara Damansara 47301 Petaling Jaya, Selangor.

Tel: 03 7832 0037 / 0038 / 0039 Fax: 03 7832 0036

Toll Free: 1800 88 8180

Rinnai Worldwide

- Rinnai UK Limited
- Rinnai Services (MS) Co., Ltd.
- Rinnai Italia S.r.l.
- Rinnai Korea Corporation
- Rinnai Corporation (Japan)
- RBS Thermo Technology Co., Ltd.
- Shanghai Rinnai Co., Ltd.
- Rinnai Taiwan Corporation
- Guangzhou Minghai Gas & Electrical Appliance Co., Ltd.
- Rinnai Hong Kong Ltd.
- Rinnai Thailand Co., Ltd.
- Rinnai Vietnam Co., Ltd.
- Rinnai (Malaysia) Sdn. Bhd.
- Rinnai Holdings (Pacific) Pte. Ltd.
- P.T. Rinnai Indonesia
- Rinnai Australia Pty., Ltd.
- Rinnai New Zealand Ltd.
- Rinnai Canada Holdings Ltd.
- Rinnai America Corporation
- Rinnai Brazil Heating Technology Ltd.