

Viega Holding GmbH & Co. KG
Viega Platz 1
57439 Attendorn
Germany

Phone: +49 (0) 2722 61-0

viega.com

viega

 **Boiler-Gas.ru**
Перейти на сайт

Viega Pressing Tools

Combinability with Systems
and Accessories.



viega

✓ Compatible – Not compatible * Also valid for Profipress G, Profipress S ** Also valid for Sanpress Inox G			System press jaws Picco						System press jaws PT2 + SOM (no longer available)					
			Metallic press connector systems		Thick-walled steel pipes	Plastic piping systems			Metallic press connector systems					
Press jaw Press ring Press chain Model No. / Article No. Dimensions mm Bolt-Ø														
			2484.9 12–35 mm 12 mm	2489.9 12–35 mm 12 mm	4284.9 ¾–¾ inch 12 mm	2784.7 14–32 mm 12 mm	5384.7 16–40 mm 12 mm	2484.7 12–40 mm 12 mm	2299.9 12–54 mm 14 mm	2299.2 12–54, 14/16 mm 15 mm (SOM)	2299.62/449 377 15–28 mm 14/15 mm (SOM)	2299.6/313 012 12–35 mm 14/15 mm (SOM)	2299.91 42–54 mm 14/15 mm (SOM)	2299.4/262 211 42–54 mm 15 mm (SOM)
Systems			Profipress*, Seapress, Sanpress, Sanpress Inox**, Prestabo, Easytop, Gas fittings		Megapress	Smartpress	Raxofix, Raxinox 16, 20	Sanfix, Sanfix Fosta, Fonterra	Profipress*, Seapress, Sanpress, Sanpress Inox**, Prestabo, Easytop, Gas fittings					
Available		Pressgun Picco Facelift 2015	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
		Pressgun 5 with battery or mains cable	–	–	–	–	–	–	✓	✓	✓	✓	✓	✓
		Press Booster	–	–	–	–	–	–	–	–	–	–	–	–
Older models (no longer available)		Pressgun Picco	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
		Pressgun 4E	–	–	–	–	–	–	✓	✓	✓	✓	✓	✓
		Pressgun 4B	–	–	–	–	–	–	✓	✓	✓	✓	✓	✓
		Picco	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
		PT3-EH/H	–	–	–	–	–	–	✓	✓	✓	✓	✓	✓
		PT3-AH	–	–	–	–	–	–	✓	✓	✓	✓	✓	✓
		Akku-Presshandy	–	–	–	–	–	–	✓	✓	✓	✓	✓	✓
		Battery-System pressing tool REC-SAN	–	–	–	–	–	–	–	–	–	–	–	–
		Typ 2	–	–	–	–	–	–	✓	✓	✓	✓	✓	✓
		Typ 1	–	–	–	–	–	–	–	✓	✓ only SOM	✓ only SOM	✓ only SOM	✓

✓ Compatible – Not compatible * Also valid for Profipress G, Profipress S ** Also valid for Sanpress Inox G			System press jaws PT2 + SOM (no longer available)										System press rings/ System press chains		
				Thick-walled steel pipes		Plastic piping systems						Raxofix / Raxinox		Articulated tension jaw	
Press jaw Press ring Press chain Model No./Article No. Dimensions mm Bolt-Ø															
			2299.4M/315 337 42–54 mm 15 mm	4299.9 ¾–1 inch 14 mm	4299.61 ½–2 inch 14 mm	2799.7/425 302 12–63 mm 14 mm	2299.7 14–63 mm 14 mm/15 mm	2299.8/357 139 16 and 20 mm 14/15 mm	2299.81/490 652 16–32 mm 14/15 mm	2299.41/612 191 50 and 63 mm 14 mm	5399.7 16–63 mm 14 mm	5399.8/645 380 16–20 mm 14 mm	5399.81/645 397 16–32 mm 14 mm	P1 2496.1/622 657 12–35 mm 12 mm	
Systems				Megapress		Smartpress, Fonterra, Smartloop, Pexfit Pro	Sanfix, Sanfix Fosta, Fonterra	Sanfix, Sanfix Fosta			Raxofix, Raxinox 16, 20	Raxofix, Raxinox	Raxofix, Raxinox 16, 20	Profipress*, Seapress, Prestabo, Sanpress Inox**, Sanpress, Megapress	
Available		Pressgun Picco Facelift 2015	—	—	—	—	—	—	—	—	—	—	—	✓	
		Pressgun 5 with battery or mains cable	✓ only 42 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	
		Press Booster	—	—	—	—	—	—	—	—	—	—	—	—	
Older models (no longer available)		Pressgun Picco	—	—	—	—	—	—	—	—	—	—	—	✓	
		Pressgun 4E	✓ only 42 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	
		Pressgun 4B	✓ only 42 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	
		Picco	—	—	—	—	—	—	—	—	—	—	—	✓	
		PT3-EH/H	✓ only 42 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	
		PT3-AH	✓ only 42 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	
		Akku- Presshandy	✓ only 42 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	
		Battery- System pressing tool REC-SAN	—	—	—	—	—	—	—	—	—	—	—	—	
		Typ 2	✓ only 42 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—
		Typ 1	—	—	—	—	✓ only SOM	✓ only SOM	✓ SOM	—	—	—	—	—	—

✓ Compatible – Not compatible * Also valid for Profipress G, Profipress S ** Also valid for Sanpress Inox G		System press rings / System press chains		Press jaw insets			Press-in branch connector tools
		Plastic piping systems	Raxofix / Raxinox	Metallic press connector systems	for metal and plastic (no longer available)	Plastic piping systems	Thick-walled steel pipes
Press jaw Press ring Press chain Model No. / Article No. Dimensions mm Bolt-Ø							
		9696.7 / 469 771 32–63 mm 14 mm	5396.1 16–63 mm	2499.2 12–22 mm	Combi press jaw 2298.3 / 301 057 15 mm	2499.1 12–20 mm	4278.5 1½–6 inch
Systems		Geopress	Raxofix, Raxinox 16, 20	Profipress*, Seapress, Prestabo, Sanpress Inox**, Sanpress	Profipress*, Seapress, Prestabo, Sanpress Inox**, Sanpress 12–22 mm, Sanfix, Sanfix Fosta 14–20 mm	Sanfix, Sanfix Fosta	Megapress
Available		Pressgun Picco Facelift 2015	—	✓ ≤ 40 mm	—	—	—
		Pressgun 5 with battery or mains cable	✓	✓	—	✓	—
		Press Booster	—	—	—	—	—
Older models (no longer available)		Pressgun Picco	—	✓ ≤ 40 mm	—	—	—
		Pressgun 4E	✓	✓	—	✓	—
		Pressgun 4B	✓	✓	—	✓	—
		Picco	—	✓ ≤ 40 mm	—	—	—
		PT3-EH/H	✓	✓	—	✓	—
		PT3-AH	✓	✓	—	✓	—
		Akku- Presshandy	✓	✓	—	✓	—
		Battery- System pressing tool REC-SAN	—	—	✓	—	—
		Typ 2	✓	✓	—	✓	—
		Typ 1	—	—	—	✓	—